



2023/1 Price List



PI LONDON

finncore



piarpi.com

MORE THAN QUALITY



PI LONDON

Swimming Pool Equipments...	2-49
Water Games...	50-53
Fountain Equipments...	54-55
Sauna and Steam Room Equipments...	56-62
Spa Equipments...	64

Certain Products Photos in Catalogue Could be Change From The Original Form Because of Different Design. Prices are Not Included VAT. The Company Could be Change the Products Technical Datas and Prices Without Declaring you.



Pi London Elite series pumps



Centrifugal pump for water circulation in transportable pools and spas

- Quiet running
- Single stage
- Continuous operation
- Built-in thermal protection

Pump body, pump foot and diffuser in tecnopolymer

Impeller in tecnopolymer

Seal mounting in tecnopolymer

Motor shaft in stainless steel AISI 420

Mechanical seal in graphite and alumine

Motor housing in aluminium

Code	Description	Power P2 (HP)	Phase	Connection	Flow 9 mss m ³ /h	Price (€)
02101050	Elite 50S	0,5	I	63 mm	14	
02101075	Eite 75S	0,75	I	63 mm	18	
02101100	Elite 100S	1	I	63 mm	22	
02103150	Elite 100T	1	III	63 mm	22	
02101150	Elite 150S	1,5	I	63 mm	26	
02103150	Elite 150T	1,5	III	63 mm	26	
02101200	Elite 200S	2	I	63 mm	30	
02103200	Elite 200T	2	III	63 mm	30	
02101300	Elite 300S	3	I	63 mm	35	
02103300	Elite 300M	3	III	63 mm	35	
02103400	Elite 400T	4	III	63 mm	45	





Code	Description	Price (€)
02210007	P.P Pump Case	32

Flooter Pool Pumps



- Suitable pumps for special purposes
- Lowest power consumption
- Best price
- Highest efficiency
- Self priming centrifugal pump
- Noryl injected pump casing
- Hinged cover-screws with AISI 304 stainless steel studs
- Impeller in noryl with fiber glass
- Pumps are suitable to be used with sea water



HP	CONDENSER (μF)	AMPERES			HEAD mwh						
		II 220 V	III		6	8	10	12	14	16	17
			230 V	380 V	FLOW m³/h						
3,0	-	-	10,40	6,00	65,00	56,50	47,00	25,00	-	-	-
3,5	-	-	10,40	6,00	86,00	78,00	70,00	60,00	45,00	12,00	-
4,5	-	-	11,70	6,75	94,00	88,00	78,00	68,00	55,00	24,00	-
5,5	-	-	13,80	8,00	102,00	95,00	88,00	78,00	60,00	40,00	23,00

HP	CONDENSER (μF)	AMPERES			HEAD mwh						
		III 230 V	III		8	10	12	14	16	18	20
			400 V	700 V	FLOW m³/h						
7,5	-	-	12,10	7,00	140,00	131,00	110,00	76,00	53,00	25,00	-
10,0	-	-	15,80	9,20	145,00	140,00	126,00	108,00	75,00	50,00	18,00
12,5	-	-	15,80	9,20	150,00	144,00	134,30	120,00	113,00	104,00	92,70

DIMENSIONS														Net Weight (Kg)	Gross Weight (Kg)
DNA	DNI	A	K	B	C	D	E	F	G	H	L	M	N		
4"	4"	880	265	406	580	395	573	485	358	210	550	457	122	30,750	32,250
4"	4"	880	265	406	580	395	573	485	358	210	550	457	122	30,750	32,250
4"	4"	920	265	406	580	435	573	485	358	210	550	457	122	33,850	35,350
4"	4"	945	265	406	580	460	573	485	358	210	550	457	122	40,600	42,100
4"	4"	945	265	406	580	460	573	485	358	210	550	457	122	48,450	49,950
4"	4"	985	265	406	580	500	573	485	358	210	550	457	122	54,600	56,100
4"	4"	985	265	406	580	500	573	485	358	210	550	457	122		

Code	Description	Power P2 (HP)	Phase	Connection	Flow 9 mss m³/h	Price (€)
02183035	Floo 350	3,5	III	110	68	1.571
02183045	Floo 450	4,5	III	110	78	1.714
02183055	Floo 550	5,5	III	110	88	1.971
02183075	Floo 750	7,5	III	110	134	2.514
02183100	Floo 1000	10	III	110	142	3.000
02183125	Floo 1250	12	III	110	148	3.429

Classical Laminated Filters


Classical

- Made of polyester and fiberglass resin
- Side mounting multiport valve with air purge and pressure gauge
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temprature 40 °C

Code	Description	Price (€)
03010450	Ø 450	426
03010620	Ø 620	469
03010780	Ø 780	683
03010930	Ø 930	769


Classical with plexi lid

Code	Description	Price (€)
03010452	Ø 450	483
03010622	Ø 620	526
03010782	Ø 780	740
03010932	Ø 930	826



	Ø 450	Ø 620	Ø 780	Ø 930
A	450	620	780	930
B	795	850	945	1050
C	430	455	555	660
D	305	330	325	390
Connection mm/inc	50 / 1 1/2"	50 / 1 1/2"	63 / 2"	63 / 2"
Flow (m ³ /h) 50 m ³ /h/m ²	8	14	23	33
filtration surface m ²	0,16	0,3	0,46	0,66
sand kg	75	125	250	375
glass 1 kg	50	75	125	175
glass 2 kg	25	50	125	75
glass 3 kg				100

Premium Laminated Filters


Premium

- Made of polyester and fiberglass resin
- Side mounting multiport valve with air purge and pressure gauge
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temprature 40 °C

Code	Description	Price (€)
03100500	Ø 500	454
03100600	Ø 600	443
03100750	Ø 750	714
03100900	Ø 900	800


Premium with plexi lid

Code	Description	Price (€)
03100502	Ø 500	511
03100602	Ø 600	557
03100752	Ø 750	771
03100902	Ø 900	857




	Ø 500	Ø 600	Ø 750	Ø 900
A	495	595	745	895
B	795	850	945	1050
C	430	455	555	660
D	360	360	460	530
Connection mm/inc	50 / 1 1/2"	50 / 1 1/2"	63 / 2"	63 / 2"
Flow (m ³ /h) 50 m ³ /h/m ²	10	14	22	32
filtration surface m ²	0,2	0,3	0,46	0,66
sand kg	75	125	250	375
glass 1 kg	50	75	125	175
glass 2 kg	25	50	125	75
glass 3 kg				100

Commercial Pool Laminated Filters

Classical Commercial

- Made of polyester and fiberglass resin
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temprature 40 °C

Code	Description	Price (€)
03011050	Ø 1050	1.169
03011250	Ø 1250	1.571
03011400	Ø 1400	2.229
03011600	Ø 1600	3.114
03012000	Ø 2000	4.714



	Ø 1050	Ø 1250	Ø 1400	Ø 1600	Ø 2000
A	1050	1250	1400	1600	2000
B	1545	1430	1680	1850	2030
C	880	845	980	1160	1345
D	410	545	640	725	775
Connection mm/inc	75 / 2 1/2"	90 / 3"	110 / 4"	110 / 4"	140 / 5"
Flow (m ³ /h) 50 m ³ /h/m ²	43	58	77	100	157
filtration surface m ²	0,86	1,18	1,54	2,01	3,14
sand kg	1050	1400	2000	2800	4400
glass 1 kg	375	500	750	1025	1500
glass 2 kg	175	250	375	500	750
glass 3 kg	200	250	375	500	750

Elite Laminated Filters

Elite

Elite with plexi lid

- Made of polyester and fiberglass resin
- Filter Bed 0.8 m
- Side mounting multiport valve with air purge and pressure gauge
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temprature 40 °C

Code Lateral	Code Nozzle p	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03020450	03020451	Ø 450	1.131	1.417
03020620	03020621	Ø 620	1.171	1.457
03020820	03020821	Ø 820	1.280	1.566
03020930	03020931	Ø 930	1.606	1.891

Code Lateral	Code Nozzle p	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03020452	03020453	Ø 450	1.303	1.589
03020622	03020623	Ø 620	1.343	1.629
03020822	03020823	Ø 820	1.451	1.737
03020932	03020933	Ø 930	1.777	2.063



Code	D	M	N	P	H	L	T	Connection Mm/inch	Flow (m³/h) 50/30 m³/h/	filtration surface m²	sand kg	Glass 1 kg	Glass 2 kg	Glass 3 kg
03020450	Ø450	170	480	450	1320	800	290	50 / 1 1/2"	8/5	0,16	200	100	75	
03020620	Ø620	170	480	660	1320	800	290	50 / 1 1/2"	15/9	0,3	350	150	150	
03020820	Ø820	230	610	660	1450	800	290	63/2"	27/16	0,53	625	275	275	
03020930	Ø930	240	610	660	1450	800	290	63/2" 75/2 1/2"	34/20	0,68	800	350	175	175

Iris Laminated Filters


Iris

- Made of polyester and fiberglass resin
- Filter Bed 1 m
- Side mounting multiport valve with air purge and pressure gauge (only for Ø450mm-Ø930 mm filters)
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temperature 40 °C

Code Lateral	Code Nozzle p	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03030450	03030451	Ø 450	1.357	1.643
03030620	03030621	Ø 620	1.406	1.691
03030660	03030661	Ø 660	1.474	1.760
03030820	03030821	Ø 820	1.651	1.937
03030930	03030931	Ø 930	1.929	2.214
03031050	03031051	Ø 1050	2.843	3.414
03031250	03031251	Ø 1250	3.814	4.386


Iris with plexi lid

Code Lateral	Code Nozzle p	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03030452	03030453	Ø 450	1.529	1.814
03030622	03030623	Ø 620	1.577	1.863
03030662	03030663	Ø 660	1.646	1.931
03030822	03030823	Ø 820	1.823	2.109
03030932	03030933	Ø 930	2.100	2.386



Code	D	M	N	P	H	L	T	Connection Mm/inch	Flow (m ³ /h) 50/30 m ³ /h/m ²	sand kg	Glass 1 kg	Glass 2 kg	Glass 3 kg
03030450	Ø450	170	480	660	1750	1000	290	50 / 1 1/2"	8/5	250	100	100	
03030620	Ø620	170	480	660	1750	1000	290	50 / 1 1/2"	15/9	450	200	175	
03030660	Ø660	190	500	660	1750	1000	290	50 / 1 1/2"	16/11	525	250	225	
03030820	Ø820	230	610	660	1900	1000	290	63/2"	27/16	775	350	325	
03030930	Ø930	240	610	660	1900	1000	290	63/2" 75/2 1/2"	34/20	1000	425	225	200
03031050	Ø1050	280	620	850	2200	1000	540	75/2 1/2"	43/27	1250	575	250	250
03031250	Ø1250	300	640	1000	2200	1000	540	90/3"	58/37	1800	850	350	350

PI LONDON 
Elite Pluss Laminated Filters

Elite Pluss

- Made of polyester and fiberglass resin
- Filter Bed 1.2 m
- Side mounting multiport valve with air purge and pressure gauge (only for Ø450mm-Ø930 mm filters)
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temperature 40 °C

Code Lateral	Code Nozzle p	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03040450	03040451	Ø 450	1.629	1.914
03040620	03040621	Ø 620	1.657	1.943
03040820	03040821	Ø 820	1.971	2.257
03040930	03040931	Ø 930	2.314	2.600
03041050	03041051	Ø 1050	3.400	3.971
03041250	03041251	Ø 1250	4.543	5.114
03041400	03041401	Ø 1400	5.657	6.514
03041800	03041801	Ø 1800	9.114	9.971


Elite Pluss with plexi lid

Code Lateral	Code Nozzle p	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03040452	03040453	Ø 450	1.800	2.086
03040622	03040623	Ø 620	1.829	2.114
03040822	03040823	Ø 820	2.143	2.429
03040932	03040933	Ø 930	2.486	2.771

Code	D	M	N	P	H	L	T	Connection mm/inc	Flow (m ³ /h) 50/30 m ³ /h/m ²	sand kg	Glass 1 kg	Glass 2 kg	Glass 3 kg
03040450	Ø450	170	480	490	1950	1200	290	50 / 1 1/2"	8/5	275	125	125	
03040620	Ø620	170	480	490	1950	1200	290	50 / 1 1/2"	14/9	525	225	225	
03040820	Ø820	230	610	660	2100	1200	290	63/2"	27/16	925	400	400	
03040930	Ø930	240	610	660	2100	1200	290	63/2" 75/2 1/2"	34/20	1200	525	250	250
03041050	Ø1050	280	620	850	2300	1200	540	75/2 1/2"	43/27	1500	675	325	300
03041250	Ø1250	300	640	1000	2400	1200	540	90/3"	58/37	2150	1000	425	425
03041400	Ø1400	350	660	1000	2400	1200	540	110/4"	77/46	2700	1200	575	575
03041800	Ø1800	350	660	1000	2400	1200	540	140/5"	126/76	4450	1950	950	950

Laminated Ozone Filters

Elite Ozone

- Made of polyester, vinylester and fiberglass resin
- Filter Bed 0.8 m
- Side mounting multiport valve with air purge and pressure gauge (only for Ø450mm-Ø930 mm filters)
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temperature 40 °C

Code	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03060450	Ø 450	2.263	2.549
03060620	Ø 620	2.343	2.629
03060820	Ø 820	2.560	2.846
03060930	Ø 930	3.211	3.497


Elite Ozone with plexi lid

Code	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03060452	Ø 450	2.434	2.720
03060622	Ø 620	2.514	2.800
03060822	Ø 820	2.731	3.017
03060932	Ø 930	3.383	3.669



Code	D	M	N	P	H	L	T	Connection Mm/inch	Flow (m ³ /h) 50/30 m ³ /h/	filtration surface m ²	sand kg	Glass 1 kg	Glass 2 kg	Glass 3 kg
03060450	Ø450	170	480	450	1320	800	290	50 / 1 1/2"	8/5	0,16	200	100	75	
03060620	Ø620	170	480	660	1320	800	290	50 / 1 1/2"	15/9	0,3	350	150	150	
03060820	Ø820	230	610	660	1450	800	290	63/2"	27/16	0,53	625	275	275	
03060930	Ø930	240	610	660	1450	800	290	63/2" 75/2 1/2"	34/20	0,68	800	350	175	175

Iris Laminated Ozone Filters

Iris Ozone

- Made of polyester,vinylester and fiberglass resin
- Filter Bed 1 m
- Side mounting multiport valve with air purge and pressure gauge (only for Ø450mm-Ø930 mm filters)
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temprature 40 °C

Code	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03070450	Ø 450	2.714	3.000
03070620	Ø 620	2.811	3.097
03070660	Ø 660	2.949	3.234
03070820	Ø 820	3.303	3.589
03070930	Ø 930	3.857	4.143
03071050	Ø 1050	5.686	6.257
03071250	Ø 1250	7.629	8.200


Iris Ozone with plexi lid

Code	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03070452	Ø 450	2.886	3.171
03070622	Ø 620	2.983	3.269
03070662	Ø 660	3.120	3.406
03070822	Ø 820	3.474	3.760
03070932	Ø 930	4.029	4.314




Code	D	M	N	P	H	L	T	Connection Mm/inch	Flow (m ³ /h) 50/30 m ³ /h/m ²	sand kg	Glass 1 kg	Glass 2 kg	Glass 3 kg
03070450	Ø450	170	480	660	1750	1000	290	50 / 1 1/2"	8/5	250	100	100	
03070620	Ø620	170	480	660	1750	1000	290	50 / 1 1/2"	15/9	450	200	175	
03070660	Ø660	190	500	660	1750	1000	290	50 / 1 1/2"	16/11	525	250	225	
03070820	Ø820	230	610	660	1900	1000	290	63/2"	27/16	775	350	325	
03070930	Ø930	240	610	660	1900	1000	290	63/2" 75/2 1/2"	34/20	1000	425	225	200
03071050	Ø1050	280	620	850	2200	1000	540	75/2 1/2"	43/27	1250	575	250	250
03071250	Ø1250	300	640	1000	2200	1000	540	90/3"	58/37	1800	850	350	350

PI LONDON 
**Elite Pluss Laminated Ozone
Filters**

Elit Pluss Ozone

- Made of polyester,vinylester and fiberglass resin
- Filter Bed 1.2 m
- Side mounting multiport valve with air purge and pressure gauge (only for Ø450mm-Ø930 mm filters)
- Maximum operating pressure : 2,5 kg/cm²
- Maximum test pressure 4 kg/cm²
- Maximum temprature 40 °C

Code	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03080450	Ø 450	3.257	3.543
03080620	Ø 620	3.314	3.600
03080820	Ø 820	3.943	4.229
03080930	Ø 930	4.629	4.914
03081050	Ø 1050	6.800	7.371
03081250	Ø 1250	9.086	9.657
03081400	Ø 1400	11.314	12.171
03081800	Ø 1800	18.229	19.086


Elite Pluss Ozone with plexi lid

Code	Description	Price (€) Lateral Type	Price (€) Nozzle Plate Type
03080452	Ø 450	3.429	4.171
03080622	Ø 620	3.486	4.229
03080822	Ø 820	4.114	4.857
03080932	Ø 930	4.800	5.543

Code	D	M	N	P	H	L	T	Connection mm/inc	Flow (m ³ /h) 50/30 m ³ /h/m ²	sand kg	Glass 1 kg	Glass 2 kg	Glass 3 kg
03080450	Ø450	170	480	490	1950	1200	290	50 / 1 1/2"	8/5	275	125	125	
03080620	Ø620	170	480	490	1950	1200	290	50 / 1 1/2"	14/9	525	225	225	
03080820	Ø820	230	610	660	2100	1200	290	63/2"	27/16	925	400	400	
03080930	Ø930	240	610	660	2100	1200	290	63/2" 75/2 1/2"	34/20	1200	525	250	250
03081050	Ø1050	280	620	850	2300	1200	540	75/2 1/2"	43/27	1500	675	325	300
03081250	Ø1250	300	640	1000	2400	1200	540	90/3"	58/37	2150	1000	425	425
03081400	Ø1400	350	660	1000	2400	1200	540	110/4"	77/46	2700	1200	575	575
03081800	Ø1800	350	660	1000	2400	1200	540	140/5"	126/76	4450	1950	950	950

Pi london Filter Spare Parts and Valves


Code	Description	Price (€)
03900300	ABS Lateral 8 arms	43



Code	Description	Price (€)
03900298	Nozzle	7
03900299	Nozzle Lid	3



Code	Description	Price (€)
03210105	Quartz Sand 0,7-1,2 mm	0.4
03210106	Quartz Sand 1,0-3,0 mm	0.4




Code	Description	Price (€)
03230101	Glass 0,5-1,2 mm	1,5
03230102	Glass 1,2-3 mm	1,5
03230103	Glass 3,0-5,0 mm	1,5


Multiport Valves

Code	Description	Price (€)
03190112	1 1/2"	83
03190200	2"	129
03190212	2 1/2"	511
03190300	3"	1.043

S.Steel Ladders Standart Model


- AISI 304-316
- Stainless steel
- With anchors and escutcheon plate
- Ø 42,4 mm x 1,2mm



Steps	A	B	C	D	E
2	650	650	700	250	180
3	950	650	700	250	180
4	1150	650	700	250	180
5	1400	650	700	250	180

Code	Description	Steps	Price (€)
04013102	AISI 304 Stainless Steel Ladders Standart Model	2	206
04013103	AISI 304 Stainless Steel Ladders Standart Model	3	223
04013104	AISI 304 Stainless Steel Ladders Standart Model	4	240
04013105	AISI 304 Stainless Steel Ladders Standart Model	5	274

Code	Description	Steps	Price (€)
04013402	AISI 316 Stainless Steel Ladders Standart Model	2	283
04013403	AISI 316 Stainless Steel Ladders Standart Model	3	297
04013404	AISI 316 Stainless Steel Ladders Standart Model	4	314
04013405	AISI 316 Stainless Steel Ladders Standart Model	5	354

S.Steel Ladders Muro Model


- AISI 304-316
- Stainless steel
- With anchors and escutcheon plate
- Ø 42,4 mm x 1,2mm


Steps	A	B	C	D	E
2	650	650	330	250	180
3	950	650	330	250	180
4	1150	650	330	250	180
5	1400	650	330	250	180

Code	Description	Steps	Price (€)
04013202	AISI 304 Stainless Steel Ladders Muro Model	2	206
04013203	AISI 304 Stainless Steel Ladders Muro Model	3	223
04013204	AISI 304 Stainless Steel Ladders Muro Model	4	240
04013205	AISI 304 Stainless Steel Ladders Muro Model	5	274

Code	Description	Steps	Price (€)
04013502	AISI 316 Stainless Steel Ladders Muro Model	2	283
04013503	AISI 316 Stainless Steel Ladders Muro Model	3	297
04013504	AISI 316 Stainless Steel Ladders Muro Model	4	314
04013505	AISI 316 Stainless Steel Ladders Muro Model	5	354

S.Steel Ladders Mixta Model

- AISI 304-316
- Stainless steel
- With anchors and escutcheon plate
- Ø 42,4 mm x 1,2mm




Steps	A	B	C	D	E
2	650	650	560	250	180
3	950	650	560	250	180
4	1150	650	560	250	180
5	1400	650	560	250	180

Code	Description	Steps	Price (€)
04013302	AISI 304 Stainless Steel Ladders Mixta Model	2	206
04013303	AISI 304 Stainless Steel Ladders Mixta Model	3	223
04013304	AISI 304 Stainless Steel Ladders Mixta Model	4	240
04013305	AISI 304 Stainless Steel Ladders Mixta Model	5	274

Code	Description	Steps	Price (€)
04013602	AISI 316 Stainless Steel Ladders Mixta Model	2	283
04013603	AISI 316 Stainless Steel Ladders Mixta Model	3	297
04013604	AISI 316 Stainless Steel Ladders Mixta Model	4	314
04013605	AISI 316 Stainless Steel Ladders Mixta Model	5	354

S.Steel Ladders Asymmetric Mode


- AISI 304-316
- Stainless steel
- With anchors and escutcheon plate
- Ø 42,4 mm x 1,2mm



Steps	A1	A2	B	C	D	E
2	650	920	700	250	650	180
3	650	920	700	250	950	180
4	650	920	700	250	1150	180
5	650	920	700	250	1400	180

Code	Description	Steps	Price (€)
04013702	AISI 304 Stainless Steel Ladders Asymmetric Model	2	223
04013703	AISI 304 Stainless Steel Ladders Asymmetric Model	3	240
04013704	AISI 304 Stainless Steel Ladders Asymmetric Model	4	274
04013705	AISI 304 Stainless Steel Ladders Asymmetric Model	5	303

Code	Description	Steps	Price (€)
04013712	AISI 316 Stainless Steel Ladders Asymmetric Model	2	297
04013713	AISI 316 Stainless Steel Ladders Asymmetric Model	3	314
04013714	AISI 316 Stainless Steel Ladders Asymmetric Model	4	354
04013715	AISI 316 Stainless Steel Ladders Asymmetric Model	5	389

S.Steel Ladders Spilt Model


- AISI 304-316
- Stainless steel
- With anchors and escutcheon plate
- Ø 42,4 mm x 1,2mm


Steps	C	D	E
2	250	650	180
3	250	900	180
4	250	1150	180
5	250	1400	180

Code	Description	Steps	Price (€)
04013902	AISI 304 Stainless Steel Ladders Split Model	2	514
04013903	AISI 304 Stainless Steel Ladders Spilt Model	3	543
04013904	AISI 304 Stainless Steel Ladders Split Model	4	569
04013905	AISI 304 Stainless Steel Ladders Split Model	5	597

Code	Description	Steps	Price (€)
04013912	AISI 316 Stainless Steel Ladders Split Model	2	686
04013913	AISI 316 Stainless Steel Ladders Split Model	3	709
04013914	AISI 316 Stainless Steel Ladders Split Model	4	749
04013915	AISI 316 Stainless Steel Ladders Split Model	5	777

S.Steel Ladders Overflow Model

- AISI 304-316
- Stainless steel
- With anchors and escutcheon plate
- Ø 42,4 mm x 1,2mm



Steps	A	B	C	D	E
2	1020	720	250	650	180
3	1020	720	250	900	180
4	1020	720	250	1150	180
5	1020	720	250	1400	180

Code	Description	Steps	Price (€)
04013802	AISI 304 Stainless Steel Ladders Overflow Model	2	286
04013803	AISI 304 Stainless Steel Ladders Overflow Model	3	314
04013804	AISI 304 Stainless Steel Ladders Overflow Model	4	357
04013805	AISI 304 Stainless Steel Ladders Overflow Model	5	411

Code	Description	Steps	Price (€)
04013812	AISI 316 Stainless Steel Ladders Overflow Model	2	400
04013813	AISI 316 Stainless Steel Ladders Overflow Model	3	429
04013814	AISI 316 Stainless Steel Ladders Overflow Model	4	457
04013815	AISI 316 Stainless Steel Ladders Overflow Model	5	543

- Made in plastic for D.42,4 mm pipe




Code	Description	Price (€)
04076100	Plastic Ladder Anchor	19

- AISI 304 S.S. for D.42,4 mm diameter



Code	Description	Price (€)
04076107	AISI 304 Ladder Anchor	43

- Escutcheon plate AISI 304 S.S. for ladder handles of D.42,4 mm diameter



Code	Description	Price (€)
04076101	Escutcheon Plate	12

- Ladder foot pad made in PVC for handles of D.43 mm




Code	Description	Price (€)
04076102	Ladder Foot Pad	12



- Non-slip safety step
- Steps in AISI 304 with polished finish
- For pipe of D.43 mm. and width : 500 mm

Code	Description	Price (€)
04076103	Steps in AISI 304 with Polished Finish	40

Pool Handrails


L	A	B
1220	800	680
1524	800	855

- AISI 304-316
- Stainless steel
- Ø 43mm x 1,2mm

Code	Description	Price (€)
04013120	Pool Handles Stairs (Inside Pool) AISI 304 L: 1220	414
04013121	Pool Handles Stairs (Inside Pool) AISI 304 L: 1524	486




- AISI 304-316
- Stainless steel
- Ø 42,4 mm x 1,2mm

Code	Description	Price (€)
04013110	Handrail 0,5 mt. AISI 304	129
04013111	Handrail 1 mt. AISI 304	157
04013112	Handrail 2 mt. AISI 304	200
04013113	Handrail 2,5 mt. AISI 304	214



A	B	C
1250	850	203



Code	Description	Price (€)
04013130	Pool Handles Stairs (Outside Pool) AISI 304	243

Diving Board, Slides & Showers


- Polyester and fiberglass reinforced
- Together with polyester base
- Lengths 2 m

Code	Description	Price (€)
04081200	Diving Board	999



- Polyester and fiberglass reinforced
- Polyester steps, stainless steel grab rails
- Stainless steel base with supports
- Height : 1.8 m
- Right curve or left curve

Code	Description	Price (€)
04090180	Right Curve Slide	3.715
04091180	Left Curve Slide	3.715



- Standart shower with one head
- AISI 304 stainless steel
- With footwash tap

Code	Description	Price (€)
04100100	Tekli Duş Shower One Head	715

Overflow Grates


- Overflow Gratings
- Made of polypropylene
- Protected against UV rays
- H:2,5 cm

Code	Description	Packing (m)	Price (€/m)
05010150	150 mm Single Link Overflow Grates	10	10
05010200	200 mm Single Link Overflow Grates	10	11



Code	Description	Packing (m)	Price (€/m)
05010250	250 mm Single Link Overflow Grates	10	16



Code	Description	Packing (m)	Price (€/m)
05020200	200 mm Double Link Overflow Grates	10	13



Code	Description	Packing (m)	Price (€/m)
05020250	250 mm Double Link Overflow Grates	10	17
05020300	300 mm Double Link Overflow Grates	10	25




Code	Description	Price (€)
05102090	200 mm 90°	12



Code	Description	Price (€)
05101545	150 mm 45°	10
05101590	150 mm 90°	10
05102045	200 mm 45°	12
05102545	250 mm 45°	15
05102590	250 mm 90°	15
05103090	300 mm 90°	25

Overflow Products


Code	Description	Packing (m)	Price (€/m)
05110200	Overflow Grate Channel Support Profile	2	2,5



Code	Description	Packing (m)	Price (€)
05216375	Gutter Drain Made of ABS D 63 mm Inlet to Glue and D 75 mm Outlet Threaded Connection	10	16



- AISI 304 stainless steel
- Decorative
- Aesthetic
- Solid

Code	Description	Height	Width	Price(€/m)
05020415	Overflow S.S. Grating	2,5 cm	15 cm	200
05020420	Overflow S.S. Grating	2,5 cm	20 cm	243
05020425	Overflow S.S. Grating	2,5 cm	25 cm	271

Skimmers


- ABS
 - D 63 mm
- For concrete pools

Code	Description	Price (€)
06020200	Skimmer Standart	86



Code	Description	Price (€)
06020201	Skimmer Standart Deluxe	115



Code	Description	Price (€)
06021200	Skimmer Standart Large	152



Code	Description	Price (€)
06040200	Skimmer Standart liner	172



Code	Description	Price (€)
06041200	Skimmer Standart Large liner	240



Skimmers/Main Drains



Code	Description	Price (€)
06050200	Stainless steel Skimmer strainer basket	630



Code	Description	Price (€)
06059001	Stainless steel Skimmer frame	230



Code	Description	Price (€)
06059002	Stainless steel Skimmer frame	342



Code	Description	Price (€)
07010265	ABS Main Drain 26,5 X 26,5	16



Code	Description	Price (€)
07050200	ABS Main Drain Liner	46



Code	Description	Price (€)
07023030	AISI 304 Main Drain 30 X 30	226
07024545	AISI 304 Main Drain 45 X 45	271
07025555	AISI 304 Main Drain 55 X 55	343

Nozzles


- PP
- Adjustable water flow rate
- External 2" to glue

Code	Description	Price (€)
08010200	Floor Inlet Nozzle	4



- PP
- External 2" to glue

Code	Description	Price (€)
08011200	Wall Inlet Nozzle	4



- PP
- External 2" to glue

Code	Description	Price (€)
08013200	Suction Inlet Nozzle	4



- Adjustable water flow rate
- Stainless steel lid
- ABS body
- External 2" to glue

Code	Description	Price (€)
08010205	Floor Inlet Nozzle with S.S. Lid AISI 304	55



- Stainless steel lid
- ABS body
- External 2" to glue

Code	Description	Price (€)
08010204	Wall Inlet Nozzle With S.S. Lid AISI 304	100



- Stainless steel lid
- ABS body
- External 2" to glue

Code	Description	Price (€)
08013204	Suction Inlet Nozzle With S.S. Lid AISI 304	100

Chemicals
pH Reducer


For reducing pH value
usage is 1 kg pH reducer for decreasing 0,1
unit pH of 100 m³ water

Code	Description	Packing	Price (€)
09010115	pH Reducer	15 kg	44
09010125	pH Reducer	25 kg	60

Liquid pH Reducer


- Liquid pH reducer is used for high-scaled alkalinity water and especially seasonable.
- Usage is 500-750 g pH reducer for decreasing 0,1 unit pH of 100 m³ water

Code	Description	Packing	Price (€)
09010230	Liquid pH Reducer	30 kg	172

pH Increase


- For increasing pH value
- Usage is 1 kg pH increaser for increasing 0,1 unit pH of 100 m³ water
- Ideal pH value should be 7,2-7,6

Code	Description	Packing	Price (€)
09010320	pH Increaser	20 kg	115

Chemicals

Liquit Flocculant



- Used for flocculation
- Usage for daily is 250-300 ml in stability tank for 100 m³ water

Code	Description	Packing	Price (€)
09010410	Liquid Flocculant	10 kg	23
09010420	Liquid Flocculant	20 kg	38

Algea Disinfectant



- For preventing algae
- Once in a week usage is 500 ml for 100 m³ pool water

Code	Description	Packing	Price (€)
09010610	Algea Disinfectant	10 kg	35
09010620	Algea Disinfectant	20 kg	58

Water Polisher



- Polisher is used for eliminating turbidity

Code	Description	Packing	Price (€)
09010710	Pool Water Polisher	10 kg	40
09010720	Pool Water Polisher	20 kg	64

Chemicals



- Granular di chlorine 56%
- For disinfection pool water
- Fast dissolved and stabilised
- Firstly, usage is 600-800 g for 100 m³ pool water
- Then, daily usage is 200-250 g for 100 m³ pool water
- Ideal chlorine concentration is 0,5-1 mg/L

Code	Description	Packing	Price (€)
09015610	SDIC Granular Chlorine %56	10 kg	
09015615	SDIC Granular Chlorine %56	25 kg	
09015650	SDIC Granular Chlorine %56	50 kg	



- Granular Tri Chlorine 90%
- For disinfection pool water. Slow dissolved and stabilised
- Firstly, usage is 400-600 g for 100 m³ pool water
- Then, daily usage is 120-180 g for 100 m³ pool water
- Especially warm area. Ideal chlorine concentration is 0,5-1 mg/L

Code	Description	Packing	Price (€)
09019010	TCCA Granular Chlorine %90	10 kg	
09019020	TCCA Granular Chlorine %90	25 kg	
09019050	TCCA Granular Chlorine %90	50 kg	

Chemicals

- Granular Tablet Chlor 90%
- For disinfection pool water, stabilised
- Weekly usage is 3-4 tablets into skimmers or chlorinators for 100 m³ pool water
- Especially warm area. Ideal chlorine concentration is 0,5-1 mg/L



Code	Description	Packing	Price (€)
09019110	TCCA Chlorine Tablets	10 kg	
09019120	TCCA Chlorine Tablets	25 kg	
09019150	TCCA Chlorine Tablets	50 kg	



- For disinfection pool water

Code	Description	Packing	Price (€)
09019235	Sodium Hypochlorite	35 kg	180



- Disinfection for feet bacterias

Code	Description	Packing	Fiyat Price (€)
09011010	Fungicide Disinfectant for Feet	10 kg	100



Code	Description	Fiyat Price (€)
10010200	pH and chlorine test kit	19

Ozone and Chlorine Generators



Code	Description	Price (€)
11040100	Ozon Generator 0,7-1,5 g/h	2.557
11040101	Ozon Generator 1,6-3,9 g/h	2.743
11040102	Ozon Generator 3,3-6,4 g/h	2.854
11040104	Ozon Generator 6,3-11,4 g/h	3.143
11040105	Ozon Generator 8,9-16,8 g/h	3.429

Code	Description	Price (€)
11060100	Salt Chlorine Generator 12 gr/h	1.700
11060101	Salt Chlorine Generator 24 gr/h	1.986
11060102	Salt Chlorine Generator 36 gr/h	2.429



Code	Description	Price (€)
11060200	Salt Chlorine Generator 12 gr/h with pH dosing pump	1.940
11060201	Salt Chlorine Generator 24 gr/h with pH dosing pump	2.234
11060202	Salt Chlorine Generator 36 gr/h with pH dosing pump	2.691

Code	Description	Price (€)
11060300	Salt Chlorine Generator 12 gr/h with pH/ORP dosing system	2.177
11060301	Salt Chlorine Generator 24 gr/h with pH/ORP dosing system	2.500
11060302	Salt Chlorine Generator 36 gr/h with pH/ORP dosing system	2.954

Dosing Pumps



- Analog controller
- Adjustable stroke speed
- PVC head, ceramic valve, PTFE diaphragm
- Easy installation and use thanks to vertical design to mount
- Complete set together with discharge and suction accessories

Code	Description	Flow	Pressure	Price (€)
12720505	Dosing Pump	5 l/h	5 bar	283
12720210	Dosing Pump	2 l/h	10 bar	283



- Analog controller
- Adjustable stroke speed
- PVC head, ceramic valve, PTFE diaphragm
- Easy installation and use thanks to vertical design to mount
- Complete set together with discharge and suction accessories

Code	Description	Flow	Pressure	Price (€)
12620210	Dosing Pump	2 l/h	10 bar	346
12620507	Dosing Pump	5 l/h	7 bar	346
1261005	Dosing Pump	10 l/h	5 bar	429
12620220	Dosing Pump	2 l/h	20 bar	466



- Analog controller
- Adjustable stroke speed
- PVC head, ceramic valve, PTFE diaphragm
- Easy installation and use thanks to vertical design to mount
- Complete set together with discharge and suction accessories

Code	Description	Flow	Pressure	Price (€)
12521010	Dosing Pump	10 l/h	10 bar	669
12522005	Dosing Pump	25 l/h	5 bar	729

Dosing Pumps



- Digital controller
- Adjustable stroke speed
- PVC head, ceramic valve, PTFE diaphragm
- Timer, password parameter
- Easy installation and use thanks to vertical design to mount
- Complete set together with discharge and suction accessories
- Level controller

Code	Description	Flow	Pressure	Price (€)
12630210	Dosing Pump	2 l/h	10 bar	503
12630507	Dosing Pump	5 l/h	7 bar	503
12631005	Dosing Pump	10 l/h	5 bar	586
12630220	Dosing Pump	2 l/h	20 bar	626



- Digital controller
- Adjustable stroke speed
- PVC head, ceramic valve, PTFE diaphragm
- Timer, password parameter
- Easy installation and use thanks to vertical design to mount
- Complete set together with discharge and suction accessories
- Level controller

Code	Description	Flow	Pressure	Price (€)
12531010	Dosing Pump	10 l/h	10 bar	1.071
12532005	Dosing Pump	25 l/h	5 bar	1.200

Compact Panels


- 45x60 panel
- Elektrode flow chamber
- Cable channel
- pH electrode
- ORP electrode
- N model 5L/5B dosing pump (2 units)
- Calibration stand
- Fittings mounted

Code	Description	pH Pump	Chlorine Pump	Price (€)
12730505	Compact Panel	5 bar 5 l/h	5 bar 5 l/h	1.872



- 60 x 90 panel
- Pre-filterdirt holder
- Elektrode flow chamber
- Cable channel
- pH electrode
- ORP electrode
- Calibration stand
- Fittings mounted

Code	Description	Price (€)
12750000	Dosing Panel 1 Without Pump	1.772



- pH-ORP
- 60 x 90 panel
- Elektrode flow chamber
- Pre-filterdirt holder
- Cable channel
- pH electrode
- ORP electrode
- Calibration stand
- Fittings mounted

Code	Description	Price (€)
12760000	Dosing Panel 2 Without Pump	2.515

Dosing Products



- Epoxy body
- Max pressure 6 bar
- Max temperature 60°C
- BNC connector

Code	Description	Price (€)
12390101	pH Electrode	186
12390201	Redox Electrode	214



Code	Description	Price (€)
12390304	pH 4 Buffer Solutions (20 ml)	17
12390307	pH 7 Buffer Solutions (20 ml)	17
12390402	Orp 225 Buffer Solutions (20 ml)	17
12390404	Orp 475 Buffer Solutions (20 ml)	17



- Stirrers with fast and slow speed can be supplied with fixing flange to mount on tank

Code	Description	Pressure	Rpm	Phase	Price (€)
12390906	600 MM PVC Fast	0,13 kW	1400	III	1.029
12390908	800 MM PVC Fast	0,13 kW	1400	III	1.029
12391006	600 MM PVC Slow	0,13 kW	200	III	1.400
12391008	800 MM PVC Slow	0,13 kW	200	III	1.400



Code	Description	Price (€)
12200100	Chemical Tank 100 L	103
12200200	Chemical Tank 200 L	206
12180000	Manuel Mixer	94

Vacuum Head

Vacuum Head

- For concrete pool
- Eloxal aluminium body
- Plastic fork

Code	Description	Price (€)
13010112	1 ½" Vacuum Head with Clip 346 mm	54
13010200	2" Vacuum Head with Clip 445 mm	60



Code	Description	Price (€)
13020112	1 ½" Vacuum Head with Screw 346 mm	57
13020200	2" Vacuum Head with Screw 445 mm	66



- For commercial concrete pool
- Electrostatic aluminium body
- Stainless steel wheels and hose connection

Code	Description	Price (€)
13040200	2" Pulling Type Vacuum Head 800 mm	1.415


Telescopic Pole

Code	Description	Price (€)
13200125	Aluminium Telescopic Pole 2x2,5 m	51
13200230	Aluminium Telescopic Pole 2x3 m	57
13200330	Aluminium Telescopic Pole 3x3 m	103

Cleaning Equipments



- Made of EVA
- Excellent floating properties
- Very light and flexible
- Resistant to UV
- Ideal solution for pool cleaning
- Temp : -30° C to + 60° C

Code	Description	Price (€)
13211038	Evapool Vacuum Hose 1 ½"	9
13211050	Evapool Vacuum Hose 2"	12



Code	Description	Price (€)
13223850	Hose connection Adapter	9



Code	Description	Price (€)
14010145	Curved Wall Brush 45 cm	22



Code	Description	Price (€)
14010126	Standart Wall Brush 26 cm	15



- Algae brushes has stainless steel wire

Code	Description	Price (€)
14010216	Stainless Steel Algae Brush 16 cm	40



Code	Description	Price (€)
14010401	Deep Leaf Rake	18



Code	Description	Price (€)
14010402	Leaf Rake	26

Underwater Lights



- For concrete pool
- IP 68
- ABS
- 4500 lumen-540 lumen Blue
- 30 W
- DC 12V

Code	Description	Price (€)
15011330	Underwater Lighting with White Led	91
15011331	Underwater Lighting with Warm White Led	91
15011332	Underwater Lighting with Blue Led	91
15011334	Underwater Lighting with Green Led	91
15011335	Underwater Lighting with Auto color change	111
15011336	Underwater Lighting with RGB Led	91



- For concrete pool
- IP 68
- ABS
- 4500 lumen-540 lumen Blue
- 30 W
- DC 12V

Code	Description	Price (€)
15021330	Underwater Lighting with White Led	83
15021331	Underwater Lighting with Warm White Led	83
15021332	Underwater Lighting with Blue Led	83
15021334	Underwater Lighting with Green Led	83
15021335	Underwater Lighting with Auto color change	103
15021336	Underwater Lighting with RGB Led	83



Underwater Lights



- For concrete pool
- IP 68
- ABS
- 4500 lumen-540 lumen Blue-1250 lumen RGB
- 30 W
- DC 12V

Code	Description	Price (€)
15031320	Underwater Lighting with White Led	83
15031321	Underwater Lighting with Warm White Led	83
15031322	Underwater Lighting with Blue Led	83
15031324	Underwater Lighting with Green Led	83
15031325	Underwater Lighting with Auto color change	103
15031326	Underwater Lighting with RGB Led	83



- For concrete pool
- IP 68
- ABS
- 4500 lumen-540 lumen Blue-1250 lumen RGB
- 30 W
- DC 12V

Code	Description	Price (€)
15041330	Underwater Lighting with White Led	83
15041331	Underwater Lighting with Warm White Led	83
15041332	Underwater Lighting with Blue Led	83
15041334	Underwater Lighting with Green Led	83
15041335	Underwater Lighting with Auto color change	103
15041336	Underwater Lighting with RGB Led	83

Underwater Lights



- S.S lid
- For concrete pool
- IP 68
- ABS
- 4500 lumen-540 lumen Blue-1250 lumen RGB
- 30 W
- DC 12V

Code	Description	Price (€)
15051330	Underwater Lighting with White Led	140
15051331	Underwater Lighting with Warm White Led	140
15051332	Underwater Lighting with Blue Led	140
15051334	Underwater Lighting with Green Led	140
15051335	Underwater Lighting with Auto color change	160
15051336	Underwater Lighting with RGB Led	140



- S.S lid
- For concrete pool
- IP 68
- ABS
- 4500 lumen-540 lumen Blue-1250 lumen RGB
- 30 W
- DC 12V

Code	Description	Price (€)
15061330	Underwater Lighting with White Led	134
15061331	Underwater Lighting with Warm White Led	134
15061332	Underwater Lighting with Blue Led	134
15061334	Underwater Lighting with Green Led	134
15061335	Underwater Lighting with Auto color change	154
15061336	Underwater Lighting with RGB Led	134

Underwater Lights/Transformers



- For Liner pool
- IP 68
- ABS
- 4500 lumen-540 lumen Blue-1250 lumen RGB
- 30 W
- DC 12V

Code	Description	Price (€)
15071330	Underwater Lighting with White Led	157
15071331	Underwater Lighting with Warm White Led	157
15071332	Underwater Lighting with Blue Led	157
15071334	Underwater Lighting with Green Led	157
15071335	Underwater Lighting with Auto color change	180
15071336	Underwater Lighting with RGB Led	163



- IP 68
- 4500 lumen-540 lumen Blue-1250 lumen RGB
- 30 W
- DC 12V



Code	Description	Price (€)
15901330	Spare Bulb 30 W with White Led	49
15901331	Spare Bulb 30 W Warm White Led	49
15901332	Spare Bulb 30 W with Blue Led	49
15901334	Spare Bulb 30 W Green Led	49
15901335	Spare Bulb 30 W Auto Color change Led	71
15901336	Spare Bulb 30 W RGB Led	54



Code	Description	Price (€)
16030312	Polyester Transformer 300 VA/12V 220V	56
16030612	Polyester Transformer 600 VA/12V 220V	111

Plate Heat Exchanger



Code	Pool Capacity(m3)	Regime Time (h)	Exchanger Capacity (kcal/h)	First Heat Programme (C°)	Price (€)
17004512	45	12	76.500	10-29,8	629
17004518	45	18	51.000	10-31,1	514
17010024	50	12	85.000	10-32,0	657
17005018	50	18	56.700	10-33,5	529
17006012	60	12	102.000	10-31,1	714
17004518	60	24	51.000	10-31,1	514
17007012	70	12	119.000	10-30,5	800
17007024	70	24	59.500	10-27,6	600
17008012	80	12	136.000	10-30,1	857
17008024	80	24	68.000	10-30,1	614
17009012	90	12	153.000	10-31,1	886
17004512	90	24	76.500	10-32,6	629
17010012	100	12	170.000	10-32,0	971
17010024	100	24	85.000	10-35,0	657
17012512	125	12	212.600	10-32,0	1.143
17012524	125	24	160.400	10-28,3	914
17015012	150	12	255.000	10-30,3	1.371
17015024	150	24	127.600	11-29,0	829
17017518	175	18	198.500	10-28,7	1.114
17017524	175	24	148.800	10-35,7	871
17020018	200	18	227.000	10-29,6	1.229
17010012	200	24	170.000	10-35,0	971
17010024	200	48	85.000	10-32,0	657
17025018	250	18	284.000	10-29,6	1.429
17025024	250	24	212.700	10-30,0	1.143
17025048	250	48	106.000	10-32,0	729
17030012	300	12	450.000	10-28,0	2.429
17030024	300	24	225.000	10-28,0	1.229
17035012	350	12	525.000	10-28,0	2.714
17035024	350	24	265.500	10-28,0	1.400
17040012	400	12	600.000	10-28,0	2.857
17040024	400	24	300.000	10-28,0	2.000
17045012	450	12	675.000	10-28,0	3.143
17045024	450	24	337.500	10-28,0	2.086
17050012	500	12	750.000	10-28,0	3.429
17050024	500	24	375.000	10-28,0	2.200
17055012	550	12	825.000	10-28,0	3.714
17055024	550	24	412.500	10-28,0	2.286
17060012	600	12	900.000	10-28,0	4.000
17030012	600	24	450.000	10-28,0	2.429
17065012	650	12	975.000	10-28,0	8.457

Researches show the radiator temperature 80-60°C, using temperature 10-30°C

Ecofriendly Products With High Quality

Heat Exchanger



- 316 stainless steel shell
- May be floor or wall mounted

Code	Model	Power Output	Power Output	Recommended Pool Size m3	Max Pool Size m3	Price(€)
17241025	PRP25T	25 kW	21.500 Kcal/h	45	50	854
17241040	PRP40T	40 kW	34.400 Kcal/h	90	120	886
17241070	PRP70T	70 kW	60.200 Kcal/h	140	200	1.054
17241100	PRP100T	100 kW	85.980 Kcal/h	190	280	1.114

The heat exchanger output can vary depending upon flow rates and primary/ secondary water temperatures



- Available in 3-18 kw
- External control panel
- 316 stainless steel flow tube

Code	Power Output	Length	Recommended Pool Size m3	Max Pool Size m3	Price(€)
17220640	6 kW	700 mm	27	40	700
17220940	9 kW	700 mm	41	60	757
17221240	12 kW	700 mm	54	80	843
17221840	18 kw	700 mm	81	120	957
17222440	24kW	700 mm	100	180	1.386



- Available in 24-72 kw
- External control panel
- 316 stainless steel flow tube

Code	Power Output	Length	Recommended Pool Size m3	Max Pool Size m3	Price(€)
17223036	36 kW	800 mm	162	240	2.429
17223048	48 kW	800 mm	203	300	2.829
17223054	54 kW	800 mm	243	360	3.143
17223072	72 kW	800 mm	324	480	3.857



Straight Type Diving Platforms

- Frame in AISI 304 stainless steel
- Step and deck made from anti-slip CTP
- Two different models in 40 cm or 70 cm height

Code	Description	Price (€)
19010040	Fixed Diving Platforms 40 cm	557
19010070	Fixed Diving Platforms 70 cm	643



Prismatic Diving Platforms

- Frame in AISI 304 stainless steel
- Step and deck made from anti-slip CTP
- Deck is movable 200 mm back and forth
- Two different models in 40 cm or 70 cm height

Code	Description	Price (€)
19010140	Prismatic Diving Platforms 40 cm	886
19010170	Prismatic Diving Platforms 70 cm	1.000



Lane Separator Roma Model

- Together with plastic markers, nylon line
- 24 marker balls in every meter
- Two different models in 25m and 50m

Code	Description	Price (€)
19020125	Lane Separator Roma Model 25 mt	429
19020150	Lane Separator Roma Model 50 mt	857

**Lane Separator Seul Model**

- Together with plastic markers, nylon line
- 19 marker balls in every meter
- Two different models in 25m and 50m

Code	Description	Price (€)
19020225	Lane Separator Seul Model 25 mt	771
19020250	Lane Separator Seul Model 50 mt	1.543

**Float Line Collector Cart**


- Float line collector cart
- D.42 mm in AISI 304 stainless steel
- Two different models in 1.2 m or 1.8 m width

Code	Description	Price (€)
19030112	Lane Separator Collection Wheel L:1200 mm	1.400
19030118	Lane Separator Collection Wheel L:1800 mm	1.686

**Turning Panel**

- Serve as a point of support and impulsion for competition swimmers in pools
- D.42 mm in AISI 304 quality stainless steel
- 30 cm drain grill in white plastic
- 2 m or 2.5 m width of the panel

Code	Description	Price (€)
19030220	Return Panel L:2000 mm	571
19030225	Return Panel L:2500 mm	743

**False Start Line**

- In AISI 304 stainless steel
- Each set is comprised of a post 1.8 m high, plastic cord and floats
- Posts are anchored in the ground
- For pools of 12.5 m and 25 m width
(Stainless steel anchors are not included the price)

Code	Description	Price (€)
19040112	Faulty Starting Signal Post 12,5 mt	257
19040125	Faulty Starting Signal Post 25 m	400

**Backstroke Flag Posts**

- Mounted on the first and last 5 meter olympic pool
- In AISI 304 stainless steel
- Each set is comprised of a post 1.8 m high, plastic cord and floats
- 2 units in a set
- Posts are anchored in the ground
- For pools of 12.5 m and 25 m width
(Stainless steel anchors are not included the price)

Code	Description	Price (€)
19050212	Returning Signal Posts 12,5 m	343
19050225	Returning Signal Posts 25 m	514



Code	Description	Price (€)
19060101	Seperator Strecher with Spring	260



Code	Description	Price (€)
19060102	Seperator Strecher with Screw	112



Code	Description	Price (€)
19060103	Seperator Hook	26



Code	Description	Price (€)
19060104	Seperator Suspender Part	63



Code	Description	Price (€)
19060105	Seperator Anchor Smooth	69



Code	Description	Price (€)
19060106	Seperator Anchor Sloping	69



Code	Description	Price (€)
19060107	Seperator Anchor Cast	109

PVC Valves

Pvc Ball Valves

- For water flow and flow control in the system
- Resistant to temperatures between 0-50 °C
- Made from PVC, EPDM O-ring, union connections to glue
- 9 different models from 20mm to 110mm diameters
- Max 16 bar pressure resistance
- Strong seal, minimum pressure loss

Code	Diameter mm	DN(mm)	Kg/Piece	Box Quantity	Price (€)
202000202	20	15	0,164	55	16
202000252	25	20	0,284	75	16
202000322	32	25	0,24	60	20
202000402	40	32	0,464	30	21
202000502	50	40	0,656	20	24
202000632	63	50	1,162	12	32
202000752	75	65	1,474	9	85
202000902	90	80	3,608	4	111
202001102	110	100	5,016	2	166

Pvc Butterfly Valves

- For water flow and flow control in the system
- Resistant to temperatures between 0-50 °C
- Made from PVC, a complete set of accessories to glue with flange-flange adapter bolts
- 9 different models from 63mm to 225mm diameters
- Max 10 bar pressure resistance
- Strong seal, minimum pressure loss



Code	Diameter mm	Kg/Piece	Box Quantity	Price (€)
20101063	63	3,026	4	171
20101075	75	3,588	4	186
20101090	90	5,702	2	206
20101110	110	6,806	2	231
20101125	125	9,698	1	271
20101140	140	10,114	1	271
20101160	160	9,316	1	397
20101200	200	17,55	1	557
20101225	225		1	569

PVC Checkvalves



Pvc Checkvalve

- For direct flow of water in any part of the installation
- Resistant to temperatures between 0-50 °C
- Made from PVC, union connections to glue
- 9 different models from 20 mm to 110 mm diameters
- Max 16 bar pressure resistance
- Strong seal, minimum pressure loss

Code	Diameter mm	DN(mm)	Kg/Piece	Box Quantity	Price (€)
214000202	20	16	0,096	60	15
214000252	25	20	0,16	75	16
214000322	32	25	0,19	60	21
214000402	40	32	0,45	32	22
214000502	50	40	0,52	20	25
214000632	63	50	0,924	13	34
214000752	75	65	1,2	9	79
214000902	90	80	3,042	4	87



PVC Wafer Checkvalve

- For direct flow of water in any part of the installation
- Resistant to temperatures between 0-50 °C
- Made from PVC, accessories to glue, complete with flange set
- 13 different models from 63 mm to 430 mm diameters
- Max 10 bar pressure resistance

Code	Diameter mm	Kg/Piece	Box Quantity	Price (€)
21101090	90	3,712	4	189
21101110	110	4,564	4	234
21101140	140	5,774	2	286
21101160	160	7,474	2	337
21101200	200	10,074	1	491
21101225	225	10,162	1	571

Water Curtain



Cobra Water Curtain

- AISI 304 or AISI 316 S.S.
- Together with fixing plate, o'ring, stud bolts and nuts
- Pump is not included the price

Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010101	Mini Cobra Water Curtain AISI 304	475	345	1 1/2"	1 HP	714
23010102	Medium Cobra Water Curtain AISI 304	550	600	2"	2 HP	1.000
23010103	Maxi Cobra Water Curtain AISI 304	800	600	2"	3 HP	1.143
23010104	Mini Cobra Water Curtain AISI 316	475	345	1 1/2"	1 HP	857
23010105	Medium Cobra Water Curtain AISI 316	550	600	2"	2 HP	1.143
23010106	Maxi Cobra Water Curtain AISI 316	800	600	2"	3 HP	1.429



Cronos Water Curtain

- AISI 304 or AISI 316 S.S.
- Together with fixing plate, o'ring, stud bolts and nuts
- Pump is not included the price

Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010201	Mini Cronos Water Curtain AISI 304	475	345	1 1/2"	1 HP	1.000
23010202	Medium Cronos Water Curtain AISI 304	550	600	2"	2 HP	1.571
23010203	Maxi Cronos Water Curtain AISI 304	800	600	2"	3 HP	1.857
23010204	Mini Cronos Water Curtain AISI 316	475	345	1 1/2"	1 HP	1.500
23010205	Medium Cronos Water Curtain AISI 316	550	600	2"	2 HP	2.143
23010206	Maxi Cronos Water Curtain AISI 316	800	600	2"	3 HP	2.714

Water Curtain

Furcan Water Curtain

- AISI 304 or AISI 316 S.S.
- Together with fixing plate, o'ring, stud bolts and nuts
- Pump is not included the price

Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010301	Mini Furcan Water Curtain AISI 304	475	345	11/2"	1 HP	1.000
23010302	Medium Furcan Water Curtain AISI 304	550	600	2"	2 HP	1.571
23010303	Maxi Furcan Water Curtain AISI 304	800	600	2"	3 HP	1.857
23010304	Mini Furcan Water Curtain AISI 316	475	345	11/2"	1 HP	1.500
23010305	Medium Furcan Water Curtain AISI 316	550	600	2"	2 HP	2.143
23010306	Maxi Furcan Water Curtain AISI 316	800	600	2"	3 HP	2.714


Niagara Water Curtain

- AISI 304 or AISI 316 S.S.
- Together with fixing plate, o'ring, stud bolts and nuts
- Pump is not included the price

Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010701	Mini Niagara Water Curtain AISI 304	475	345	11/2"	1 HP	1.000
23010702	Medium Niagara Water Curtain AISI 304	550	600	2"	2 HP	1.571
23010703	Maxi Niagara Water Curtain AISI 304	800	600	2"	3 HP	1.857
23010704	Mini Niagara Water Curtain AISI 316	475	345	11/2"	1 HP	1.500
23010705	Medium Niagara Water Curtain AISI 316	550	600	2"	2 HP	2.143
23010706	Maxi Niagara Water Curtain AISI 316	800	600	2"	3 HP	2.714



Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010501	Cascad Water Curtain AISI 304	1400	345	2"	3 HP	3.629
23010502	Cascad Water Curtain AISI 316	1400	345	2"	3 HP	5.086



Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010401	Artemis Water Canon AISI 304	1250	1040	1 1/2"	3 HP	1.086
23010402	Artemis Water Canon AISI 316	1250	1040	1 1/2"	3 HP	2.229
23010403	Artemis Water Canon Nozzle 1	1250	1040	1 1/2"	3 HP	686
23010404	Artemis Water Canon Nozzle 2	1250	1040	1 1/2"	3 HP	686
23010405	Artemis Water Canon Nozzle 3	1250	1040	1 1/2"	3 HP	686
23010406	Artemis Water Canon Nozzle 4	1250	1040	1 1/2"	3 HP	686



Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010331	Cascad Waterfall AISI 304	190	300	1 1/2"	1 HP	429
23010332	Cascad Waterfall AISI 316	190	300	1 1/2"	1 HP	786
23010333	Cascad Waterfall AISI 304	190	500	1 1/2"	1 HP	571
23010334	Cascad Waterfall AISI 316	190	500	1 1/2"	1 HP	1.071



Code	Description	Height mm	Outlet mm	Connection	Pump Optional	Price (€)
23010601	50 cm AISI 304 Waterfall	150	250	2x1 1/2"	1 HP	714
23010602	100 cm AISI 304 Waterfall	150	250	2x1 1/2"	1 HP	1.000
23010603	150 cm AISI 304 Waterfall	150	250	2x1 1/2"	1,5 HP	1.571
23010604	200 cm AISI 304 Waterfall	150	250	2x1 1/2"	2 HP	2.143
23010605	300 cm AISI 304 Waterfall	150	250	2x1 1/2"	3 HP	3.429
23010606	600 cm AISI 304 Waterfall	150	250	2x1 1/2"	2 X3 HP	6.857

Fountains



Code	Description	Price (€)
24010105	Cascade 1" D 50	126
24010107	Cascade 1 ½" D 70	177
24010109	Cascade 2" D 90	257
24010111	Cascade 2 ½" D 110	360
24010113	Cascade 3" D 130	480



Code	Description	Price (€)
24010202	Geiser 1" D 20	149
24010204	Geiser 1 ½" D 40	194
24010206	Geiser 2" D 60	226
24010208	Geiser 2 ½" D 80	400
24010210	Geiser 3" D 100	486



Code	Description	Price (€)
24010335	Spring 1" D 35	109
24010355	Spring 1 ½" D 55	154
24010375	Spring 2" D 75	343



Code	Description	Price (€)
24010903	Chromize Comet with Control Valve 3/8"	26
24010905	Chromize Comet with Control Valve 1/2"	40
24010910	Chromize Comet with Control Valve 1"	51
24010915	Chromize Comet with Control Valve 1 1/2"	91



Code	Description	Price (€)
24011014	Waterball Half D 1500	6.857
24011015	Waterball Full D 1500	8.000
24011024	Waterball Half D 2500	8.571
24011025	Waterball Full D 2500	11.429

Fountain Lighting

PAR 38 Flat Uw Adjustable Light

- IP 68, fiberglass and thermoplastic UW light.
- 180 rotary on decorative solid leg,
- PAR 38 100W /12V reflector lamp with polycarbonate to fix in niche body, with single and double connector type
- All lights must be completely submerged in the water

Code	Description	Price (€)
24030101	9 W PAR38 lighting with white power led	129
24030102	9 W PAR38 Mini lighting with Blue power led	129
24030103	9 W PAR38 lighting with RGB power led	129



- Par 38 stainless steel light
- Aisi 304 quality

Code	Description	Price (€)
24040201	9 W PAR38 AISI 304 Lighting with White Power Led	229
24040202	9 W PAR38 AISI 304 Mini Lighting with Blue Power Led	229
24040203	9 W PAR38 AISI 304 Lighting with RGB Power Led	229


Mini Flat Adjustable Uw Light

- IP 65, fiberglass + thermoplastic UW light. 180 rotary on decorative solid leg,
- All lights must be completely submerged in the water

Code	Description	Price (€)
24040102	3W Mini Lighting with White Power Led	83
24040103	3W Mini Lighting with Blue Power Led	83
24040104	3W Mini Lighting with RGB Power Led	89



Code	Description	Price (€)
24040112	3W Mini footed Lighting with White Power Led	83
24040113	3W Mini footed Lighting with Blue Power Led	83
24040114	3W Mini footed Lighting with RGB Power Led	89



Code	Description	Price (€)
24040402	12 W Lighting with nozzle and white Led	400
24040403	12 W Lighting with nozzle and Blue Led	400
24040404	12 W Lighting with nozzle and RGB Led	406

finncore

Sauna Heaters



Finncore KAP Serie Sauna Heater

- Excellent choice for your sauna
- Finnish type
- High quality products
- Separate control unit

Corrosion free colored front surface, stainless steel inner structure, built-in timer, aluminum top cap, front, left or right side position of the controller, pre-select time of 8 hours, running time of 4 hours, limit thermostat, design to wall-mounting that are most important features.

Code	Power (kW)	Dimension (mm)	Weight (Kg)	Sauna Room (m3)	Stone Capacity (Kg)	Price (€)
25060300	3	590X270X420	10-11	2-4	20	414
25060450	4,5	590X270X420	10-11	3-6	20	443
25060600	6	590X270X420	10-11	5-9	20	471
25060900	9	590X270X420	13-14	9-13	20	500



Finncore KAL Serie Sauna Heater

- The perfect choice for your sauna
- High quality products
- Compatible with large commercial scale of saunas
- Corrosion free

Finncore KAL serie together with a separate control panel.

Code	Power (kW)	Dimension (mm)	Weight (Kg)	Sauna Room (m3)	Stone Capacity (Kg)	Price (€)
25062105	10,5	600x530x680	34	10-15	60	786
25062120	12	600x530x680	34	11-18	60	814
25062150	15	600x530x680	34	14-24	60	843
25062180	18	600x530x680	34	18-30	60	1.000

finncore

Sauna Heaters & Control Panels



Finncore COR Serie Sauna Heater

- The perfect choice for your sauna
- High quality products
- Stainless steel inner structure

Corrosion free front surface has stainless steel inner structure.
Used with Control Panel + Powerbox.

Code	Power (kW)	Dimension (mm)	Weight (Kg)	Sauna Room (m3)	Stone Capacity (Kg)	Price (€)
25062210	21	710x560x680	50	24-36	120	1.400
25062240	24	710x560x680	50	28-44	120	1.486
25062270	27	710x560x680	50	32-48	120	1.571



Finncore Digital Control Panel

It is suitable for 9-15 kW heaters. Pre-programming for 1-8 hours in advance and continuous work for 4-12 hours features available. In addition, the heat temperature setting and on / off buttons as well as an electronic-based thermostat also exists.

Code	Description	Dimension (mm)	Price (€)
25070200	Finncore Digital Control Panel	240x200x102	475



Finncore Powerbox

Together with digital control panel over 15 kW heaters

Code	Description	Dimension (mm)	Price (€)
25070400	Power Box	325X90X195	860

finncore

Sauna Accessories



Finncore Wooden Bucket

- 4 l with plastic inner
- Longer life with high quality
- Makes cleaning easy

Code	Description	Price (€)
25200600	Finncore wooden bucket 4 l	69



Wooden Ladle

- Together with wooden bucket
- Traditional package for sauna

Code	Description	Price (€)
25200700	Finncore wooden Ladle	26



Copper Bucket

- High quality and long-lasting
- A traditional appearance
- 4 L

Code	Description	Price (€)
25200401	Finncore Copper Bucket	76



Copper Ladle

- High quality and long lasting
- Traditional set with copper bucket

Code	Description	Price (€)
25200501	Finncore Copper Laddle	32



Code	Description	Price (€)
25202401	Finncore Stainless steel Bucket	76



Code	Description	Price (€)
25202501	Finncore Stainless steel Laddle	34

finncore

Sauna Accessories



Thermometer-Hygrometer

- Measurement for sauna temperature and humidity
- Keep on eye both the sauna temperature and air humidity
- Easy lookout
- Strong frame

Code	Description	Price (€)
25400203	Finncore Thermometer-Hygrometer	95



Sandglass

- Reminder for proper sauna time
- Sand flows in 15 minutes
- Indispensable for decoration

Code	Description	Price (€)
25400301	Finncore Sandglass	36



Sauna Clock

- Frame made of solid wood
- To control the time spent in the sauna
- High-temperature resistant

Code	Description	Price (€)
25200303	Sauna Clock	228



Sauna Loud Speaker

- Golden-coloured
- Up to max. 120 °C
- 20 watt
- Ø 100 mm

Code	Description	Price (€)
25201901	Loud Speaker for Sauna	386



Porcelain Socket

- Sleek design
- With its robust construction provides lightness in sauna
- Heat-resistant porcelain structure

Code	Description	Price (€)
25200801	Porselen Socket	126

finncore


Sauna Accessories



Sauna Stones

- Perfect heat conduction
- Store heat by mineral structure

Code	Description	Price (€)
25201802	Sauna Stone 20 Kg	52



wall lampshade

- With its sleek design provides the perfect look
- Protect your eyes against intense ambient light
- Made of solid abachi wood

Code	Description	Price (€)
25201001	Wooden Lampshade	72



Ventilation Valve

- Sliding ventilation valve
- Provides fresh air intake
- Maintains circulation


Code	Description	Price (€)
25201101	Ventilation Valve	32



Vent Grilles

- Made to endure heat and humidity
- Maintains circulation

Code	Description	Price (€)
25201201	Ventilation Grill	44



Wooden head rest

- Elegantly designed head rest for relaxing
- Made from solid abachi lata

Code	Description	Price (€)
25201301	Wooden Head Rest	55



Sauna fragrance

- Let your sauna smell good
- Fresh, exotic, relaxing scents
- Unique relief with a few drops of use

Code	Description	Packing(ml)	Price (€)
25201411	Sauna Fragrance	250	44
25201421	Sauna Fragrance	500	64

finncore

Sauna Accessories



- Glass Sauna Door
- Comfortable size
- Wooden framed
- Long-lasting

Code	Description	Dimension (mm)	Price (€)
25210112	Sauna Glass Door	790X1836	544



Code	Description	Price (€)
25925051	Sauna Hinge Chrome Finish	44



Code	Description	Price (€)
25925053	Sauna Hinge Satin Nickel Finish	44



Code	Description	Price (€)
25925061	Sauna Hinge Chrome finish	44



Code	Description	Price (€)
25925010	Steel Magnetic Screw with Nickel Finish	12



Code	Description	Price (€)
25925017	Catch Plate Chrome Finish	5



Code	Description	Fiyat Price (€ / m)
25220200	Nordic Pine for Interior Panelling	6
25220300	Abachi Lata	8



finncore

Steam Generators



Finncore Steam Generator

- Modern design
- High quality
- High performance

Code	Power (kW)	Dimension (mm)	Weight (Kg)	Room Size m3	Price (€)
25570060	6	520X380X160	11	5 – 7	829
25570090	9	520X380X160	11	10 – 12	914
25570120	12	520X380X160	11	12 – 15	1.000
25570150	15	520X380X160	11	15 - 18	1.086



Code	Description	Dimension (mm)	Price (€)
25570150	Finncore Digital Steam Generator Control Panel	190x130x30	728



Code	Description	Price (€)
25530107	Steam Nozzle	128



- Aluminum glass door offer you the best solution for the conditions of high humidity and moisture material resistance
- No woods used
- 8 mm safety glass used
- Glass doors can be used for many years without any maintenance.
- The door handle is made from aluminum.
- Leaking gaskets specially developed to keep the heat inside.
- It is already complete with hinges and mounting bolts

Code	Description	Dimension (mm)	Price (€)
25540104	Steam Door	790X1890	970



- Resist to high moisture and temperature with glass glomp,pvc framed

Code	Description	Price (€)
25530101	Lighting For Steam Room	58



- Connection: 3/ 4 “
- Operating Principle: Time and/ or Flow Control
- Working Pressure: 1,5 - 6 bar
- Working Water Temperature: 4-45 ° C

Code	Description	Price (€)
25560101	Automatic Water Softener Systems	916

Wellness Equipments



Shower Shock Bucket

- 21 lt bucket of shower shock
- Provides natural shock effect with cold water
- Durable long-lasting manufactured from kambala wood

Code	Description	Dimension (mm)	Price (€)
25400601	21 L Bucket Of Shower Shock	43X43X310	1.852

Ice Generator / Ice Fountain

- Ice generator is an equipment that snowflakes come from snow cabin and fountain are poured in ice pieces.

The Ideal Operating Conditions

- 21 ° C ambient temperature, water temperature of 15 ° C, 220 - 240 Volt in voltage, water pressure of 3 bars



	250 kg	500 kg	1000 kg
Output	250 kg/24 h	500 kg/24 h	1000 kg/24 h
Refrigerant	R404A	R404A	R404A
Total Power	1050 Watt	1700 Watt	3200 Watt
Weight Gross	93kg.	113kg.	195 kg.
Packaging Dimensions	695x540x940mm	695x540x940mm	1000x770x920mm

Code	Description	Dimension (mm)	Weight (Kg)	Price (€)
25400761	Ice Fountain 250 Kg	640X470X700	82	9.143
25400762	Ice Fountain 500 Kg	640X470X700	104	13.714
25400763	Ice Fountain 1000 Kg	934X684X700	172	31.429



Tropical Adventure Shower with 3 Programmable Function

- Program 1 : Cold Shower
- Program 2 : Tropic Storm
- Program 3 : Akdeniz Yağmuru/ Mediterranean Rain

Code	Description	Price (€)
25400700	Tropical Adventure Shower with 3 Programmable Function	16.860



Code	Description	Dimension (mm)	Price (€)
25400730	Heated Loungers Without Glass Mosaic	1856x764 1142x1104	2.830
25400731	Heated Loungers With Glass Mosaic	1856x764 1142x1104	4.290

Spa Equipments



Constant Type Centrifuge Blowers

- Power rate ; 0,25 – 18,5 Kw
 - Air flow ; 6 – 1120 M3/H
 - Pressure ; 0 – 450 Mbar
 - Suction ; 0 – 400 Mbar
 - Easy installation
 - Low noise level
 - No vibration and therefore complete
 - Pulsation free discharge
 - Minimal maintenance.
 - Degree of protection: - Ip54
- Casings and impellers are made of aluminium alloy.

Code	Power	Connection	Weight (Kg)	Price (€)
26030104	0,4 kw	1 1/2"	11 kg	771
26030109	0,9 kw	1 1/2"	18 kg	829
26030110	1.1 kw	1 1/2"	18 kg	900
26030150	1,5 kw	2 "	26 kg	1.057
26030220	2.2 kw	2 "	26 kg	1.100
26030300	3 kw	2 "	41,5 kg	1.371
26030400	4 kw	2 "	41,5 kg	1.486
26030550	5,5 kw	2 1/2"	68 kg	3.143
26030750	7,5 kw	2 1/2"	68 kg	3.571

kW	connection	flow	0 mbar	100 mbar	150 mbar	200 mbar	250 mbar	300 mbar
0,4	1 1/2"	m3/h	84	24				
0,9	1 1/2"	m3/h	150	89	59			
1,1	1 1/2"	m3/h	150	89	59	30		
1,5	2"	m3/h	212	151	116	82		
2,2	2"	m3/h	212	151	116	82	50	
3	2"	m3/h	300	230	192	155	117	
4	2"	m3/h	300	230	192	155	117	82
5,5	2 1/2"	m3/h	462	418	380	344	308	272
7,5	2 1/2"	m3/h	462	418	380	344	308	272



Code	Description	Price (€)
26140132	D.32 PVC Flexible Hose 25 m	186
26140150	D.50 PVC Flexible Hose 25 m	429
26140163	D.63 PVC Flexible Hose 25 m	543



Istanbul 2009



Lyon 2010



Istanbul 2010



Barcelona 2011




Lyon 2012



Istanbul 2012



Istanbul 2012



Lyon 2012